

# CheckPoint

**156-585 Exam**

**Check Point Certified Troubleshooting Expert**

**Questions & Answers  
Demo**

# Version: 5.0

---

**Question: 1**

---

For TCP connections, when a packet arrives at the Firewall Kernel out of sequence or fragmented, which layer of IPS corrects this to allow for proper inspection?

- A. Passive Streaming Library
- B. Protections
- C. Protocol Parsers
- D. Context Management

---

**Answer: D**

---

---

**Question: 2**

---

What command is usually used for general firewall kernel debugging and what is the size of the buffer that is automatically enabled when using the command?

- A. fw ctl debug, buffer size is 1024 KB
- B. fw ell zdebug, buffer size is 32768 KB
- C. fw dl zdebug, buffer size is 1 MB
- D. fw ctl kdeoug, buffer size is 32000 KB

---

**Answer: D**

---

---

**Question: 3**

---

What does CMI stand for in relation to the Access Control Policy?

- A. Content Matching Infrastructure
- B. Content Management Interface
- C. Context Management Infrastructure
- D. Context Manipulation Interface

---

**Answer: C**

---

---

**Question: 4**

---

When a User process or program suddenly crashes, a core dump is often used to examine the problem.

Which command is used to enable the core-dumping via GAIA dish?

- A. set core-dump enable
- B. set core-dump per\_process
- C. set user-dump enable
- D. set core-dump total

---

**Answer: A**

---

---

**Question: 5**

---

PostgreSQL is a powerful, open source relational database management system Check Point offers a command for viewing the database to interact with Postgres interactive shell Which command do you need to enter the PostgreSQL interactive shell?

- A. psql\_client cpm postgres
- B. mysql\_client cpm postgres
- C. psql\_client postgres cpm
- D. mysql -u root

---

**Answer: A**

---