

Version: 13.0

Question: 1

During initial configuration, the Cisco ASA can be configured to drop all traffic if the ASA CX SSP fails by using which command in a policy-map?

- A. cxsc fail
- B. cxsc fail-close
- C. cxsc fail-open
- D. cxssp fail-close

Answer: B

Question: 2

A network engineer may use which three types of certificates when implementing HTTPS decryption services on the ASA CX? (Choose three.)

- A. Self Signed Server Certificate
- B. Self Signed Root Certificate
- C. Microsoft CA Server Certificate
- D. Microsoft CA Subordinate Root Certificate
- E. LDAP CA Server Certificate
- F. LDAP CA Root Certificate
- G. Public Certificate Authority Server Certificate
- H. Public Certificate Authority Root Certificate

Answer: B, D, F

Question: 3

Cisco's ASA CX includes which two URL categories? (Choose two.)

- A. Proxy Avoidance
- B. Dropbox
- C. Hate Speech
- D. Facebook
- E. Social Networking
- F. Instant Messaging and Video Messaging

Answer: C, E

Question: 4

A Cisco Web Security Appliance's policy can provide visibility and control of which two elements?
(Choose two.)

- A. Voice and Video Applications
- B. Websites with a reputation between -100 and -60
- C. Secure websites with certificates signed under an unknown CA
- D. High bandwidth websites during business hours

Answer: C, D

Question: 5

Which Cisco Web Security Appliance design requires minimal change to endpoint devices?

- A. Transparent Mode
- B. Explicit Forward Mode
- C. Promiscuous Mode
- D. Inline Mode

Answer: A

Question: 6

What step is required to enable HTTPS Proxy on the Cisco Web Security Appliance?

- A. Web Security Manager HTTPS Proxy click Enable
- B. Security Services HTTPS Proxy click Enable
- C. HTTPS Proxy is enabled by default
- D. System Administration HTTPS Proxy click Enable

Answer: B

Question: 7

Which two statements about Cisco Cloud Web Security functionality are true? (Choose two.)

- A. It integrates with Cisco Integrated Service Routers.
- B. It supports threat avoidance and threat remediation.
- C. It extends web security to the desktop, laptop, and PDA.
- D. It integrates with Cisco ASA Firewalls.

Answer: A, D

Question: 8

Which Cisco Cloud Web Security tool provides URL categorization?

- A. Cisco Dynamic Content Analysis Engine
- B. Cisco ScanSafe
- C. ASA Firewall Proxy
- D. Cisco Web Usage Control

Answer: D

Question: 9

Which three functions can Cisco Application Visibility and Control perform? (Choose three.)

- A. Validation of malicious traffic
- B. Traffic control
- C. Extending Web Security to all computing devices
- D. Application-level classification
- E. Monitoring
- F. Signature tuning

Answer: B, D, E

Question: 10

Which two options are features of the Cisco Email Security Appliance? (Choose two.)

- A. Cisco Anti-Replay Services
- B. Cisco Destination Routing
- C. Cisco Registered Envelope Service
- D. Cisco IronPort SenderBase Network

Answer: C, D

Question: 11

What is the authentication method for an encryption envelope that is set to medium security?

- A. The recipient must always enter a password, even if credentials are cached.
- B. A password is required, but cached credentials are permitted.
- C. The recipient must acknowledge the sensitivity of the message before it opens.
- D. The recipient can open the message without authentication.

Answer: B

Question: 12

What is the default antispam policy for positively identified messages?

- A. Drop
- B. Deliver and Append with [SPAM]
- C. Deliver and Prepend with [SPAM]
- D. Deliver and Alternate Mailbox

Answer: C

Question: 13

Which command establishes a virtual console session to a CX module within a Cisco Adaptive Security Appliance?

- A. session 1 ip address
- B. session 2 ip address
- C. session 1
- D. session ips console
- E. session cxsc console

Answer: E

Question: 14

What is the default CX Management 0/0 IP address on a Cisco ASA 5512-X appliance?

- A. 192.168.1.1
- B. 192.168.1.2
- C. 192.168.1.3
- D. 192.168.1.4
- E. 192.168.1.5
- F. 192.168.8.8

Answer: F

Question: 15

An ASA with an IPS module must be configured to drop traffic matching IPS signatures and block all traffic if the module fails. Which describes the correct configuration?

- A. Inline Mode, Permit Traffic
- B. Inline Mode, Close Traffic
- C. Promiscuous Mode, Permit Traffic
- D. Promiscuous Mode, Close Traffic

Answer: B

Question: 16

A new Cisco IPS device has been placed on the network without prior analysis. Which CLI command shows the most fired signature?

- A. Show statistics virtual-sensor
- B. Show event alert
- C. Show alert
- D. Show version

Answer: A

Question: 17

What CLI command configures IP-based access to restrict GUI and CLI access to a Cisco Email Security appliance's administrative interface?

- A. adminaccessconfig
- B. sshconfig
- C. sslconfig
- D. ipaccessconfig

Answer: A

Question: 18

An ASA with an IPS module must be configured to drop traffic matching IPS signatures and block all traffic if the module fails. Which describes the correct configuration?

- A. Inline Mode, Permit Traffic
- B. Inline Mode, Close Traffic
- C. Promiscuous Mode, Permit Traffic
- D. Promiscuous Mode, Close Traffic

Answer: B

Question: 19

A new Cisco IPS device has been placed on the network without prior analysis. Which CLI command shows the most fired signature?

- A. Show statistics virtual-sensor
- B. Show event alert

- C. Show alert
- D. Show version

Answer: A

Question: 20

Which three options are characteristics of router-based IPS? (Choose three.)

- A. It is used for large networks.
- B. It is used for small networks.
- C. It supports virtual sensors.
- D. It supports multiple VRFs.
- E. It uses configurable anomaly detection.
- F. Signature definition files have been deprecated.

Answer: B, D, F
