

# **Cisco**

## **Exam 500-007**

### **Implementing Cisco TelePresence Video Solution, Part 1**

**Verson: Demo**

**[ Total Questions: 10 ]**

**Question No : 1**

Which type of account needs to be set up to create a Cisco TelePresence soft client (such as Cisco Jabber or Movi) user if you are using the Cisco TelePresence VCS Expressway Starter Pack?

- A. a local FindMe account on the Cisco VCS
- B. a local admin account on the Cisco VCS
- C. an LDAP user account on Active Directory
- D. an LDAP FindMe account on Active Directory

**Answer: A**

**Question No : 2**

What are two ways that a conference participant can be disconnected from a conference? (Choose two.)

- A. by using the MCU 5300 web interface
- B. will be automatically disconnected at the end of the allotted time
- C. by the auto attendant
- D. will be disconnected when the conference exceeds its maximum capacity

**Answer: A,B**

**Question No : 3**

Which two interworking functions are supported on the Cisco VCS? (Choose two.)

- A. SIP-to-H.323
- B. IPv4-to-IPv6
- C. H.323-to-H.320
- D. firewall traversal

**Answer: A,B**

**Question No : 4**

Which of these must be enabled to set up a Cisco TelePresence soft client (such as Cisco Jabber or Movi) on a Cisco TelePresence VCS Expressway Starter Pack?

- A. SIP
- B. H.323
- C. interworking
- D. Multiway

**Answer: A**

**Question No : 5**

Which two statements about Cisco TCS users are true? (Choose two.)

- A. Users with the creator role can create their own recording aliases.
- B. Local users have only limited Cisco TCS permissions.
- C. Users can be assigned to the Cisco TCS through an Active Directory LDAP server.
- D. User permissions are based on one of three assignable roles.

**Answer: C,D**

**Question No : 6**

Which statement about playing back Cisco TCS recordings is true?

- A. It is not possible to play back Cisco TCS recordings from a video endpoint.
- B. The Cisco TCS must register to the Cisco VCS as an H.323 gateway in order to play back recordings on video endpoints.
- C. The Cisco TCS will automatically assign an E.164 playback number to recordings if it is registered as an H.323 terminal.
- D. The Cisco TCS must register to the Cisco VCS using SIP in order to play back on any video endpoint.

**Answer: B**

**Question No : 7**

How do you obtain a SIP log from the Cisco TelePresence MCU 5300 to send to Cisco TAC for further analysis?

- A. Navigate to Maintenance > Logs, and then download the log.
- B. Navigate to Logs > Event Log > SIP Details, and then download the log.
- C. Navigate to Logs > H.323/SIP Log, click Enable H323/SIP Logging, and then download the log.
- D. Use FTP to access the MCU, go to the directory /etc/logs/sip, and get all the files in that directory.

**Answer: C**

**Question No : 8**

What is the effect of registering the Cisco TCS with the Cisco VCS using H.323 gateway mode?

- A. The Cisco TCS does not support this type of registration.
- B. An unlimited number of recording aliases can be assigned.
- C. The Cisco TCS is prevented from making an outbound call to a Cisco MCU.
- D. The Cisco TCS can traverse calls between SIP and H.323.

**Answer: B**

**Question No : 9**

Which command is used to set the IP configuration for a Cisco TelePresence MCU 5300?

- A. status IP address netmask default GW
- B. xconfigure IP address netmask default GW
- C. static A IP address netmask default GW
- D. set IP address netmask default GW DNS server address

**Answer: C**

**Question No : 10**

In the SIP configuration, which two items need to match in the CiscoTelePresence VCS configuration and the endpoint configuration? (Choose two.)

- A. service prefix
- B. Cisco VCS IP address
- C. DNS server
- D. SIP domain

**Answer: B,D**