

# **Cisco**

## **650-127 Exam**

**Cisco Connected Grid (Engineer) Knowledge Verification**

### **Questions & Answers Demo**

---

**Question: 1**

---

Which of the following models supports Power over Ethernet?

- A. CGS-2520-24TC
- B. CGS-2520-16S-8PC
- C. All CGS models
- D. None of the model supports POE

---

**Answer: C**

---

---

**Question: 2**

---

Which of the following is not a supported PDI Help Desk function?

- A. design and configuration support
- B. technical product question
- C. implementation questions and support
- D. On site support
- E. RFP review

---

**Answer: D**

---

---

**Question: 3**

---

Which function is available on the Cisco Series 2500 Connected Grid Switch?

- A. EnergyWise
- B. inputs and outputs for alarms
- C. GRWIC modules
- D. StackWise

---

**Answer: C**

---

---

**Question: 4**

---

Which of these describes the overall vision of the Cisco Smart Grid?

- A. Create a single infrastructure for Unified Communications from electrical generation plants to all primary and secondary substations.
- B. Integrate intelligent routing protocols into existing electrical grids.
- C. Sell existing Cisco IP-based products to be used from end-to-end in our utility customer smart grid deployments.
- D. Design and architect an end-to-end communications infrastructure integrated with the power.

---

**Answer: A**

---

---

**Question: 5**

---

How many power supply slots are available on each Cisco CGR 2010 chassis?

- A. 1 slot
- B. 4 slots
- C. 2 slots
- D. No slots because all power is integrated over IP.

---

**Answer: C**

---

---

**Question: 6**

---

What is the correct time delay for a critical GOOSE Type-1 message?

- A. There is no specific time delay requirement.
- B. Fewer than 10 ms
- C. Less than 4 to 7 s
- D. Less than 3 to 10ms

---

**Answer: B**

---