

Cisco

Exam 650-968

**Configuring Cisco UCS and Cisco Catalyst 3000 for Vblock Series
100**

Verson: Demo

[Total Questions: 10]

Question No : 1

A customer is installing a Cisco UCS C220 M3 Rack Server in their data center, How many RU of space will they need to install the server in the cabinet?

- A. 4 RU
- B. 2 RU
- C. 1 RU
- D. 3RU

Answer: C

Explanation: One rack-unit (1RU) chassis.

http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/c/hw/C220/install/C220/overview.html

Question No : 2

Which method can be used to recover the Cisco UCS C220 M3Rack Server if the BIOS is corrupted?

- A. Replace the BIOS EEPROM on the motherboard.
- B. Press F7 during power-on to load the backup BIOS.
- C. Use a bootable BIOS recovery CD.
- D. Use the Cisco IMC console to perform BIOS recovery.

Answer: D

Question No : 3

What is the Cisco proprietary technology that extends the 802.3 PoE standards to provide the capability to source up to 60 W of power over standard Ethernet cabling infrastructure?

- A. UPoE
- B. PoE+

- C. PPOE
- D. PoEU

Answer: A

Explanation: http://www.cisco.com/c/en/us/products/collateral/switches/catalyst-4500-series-switches/white_paper_c11-670993.html

Question No : 4

Which utility is used to upgrade the firmware of Cisco UCS C-Series rack server?

- A. Cisco CIMC upgrade utility
- B. RAID controller upgrade utility
- C. BIOS upgrade utility
- D. Cisco UCS Host upgrade utility

Answer: D

Explanation: http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/c/sw/lomug/1-5-x/b_huu_1_5/b_huu_1_5_chapter_01.html

Question No : 5

Which one of the following features can be configured for high availability on a Cisco Catalyst 3000 switch?

- A. QoS
- B. VRF-Lite
- C. EVN
- D. VRF
- E. UPoE

Answer: B

Question No : 6

Which of the following is possible via CIMC on a Cisco UCS C220 M3?

- A. CIMC does not allow the admin account to be deleted, renamed, or disabled.
- B. CIMC does not allow the admin account to be deleted and renamed, but it can be disabled.
- C. CIMC does not allow the admin account to be deleted or renamed, but it can be disabled.
- D. CIMC allows the admin account to be deleted, renamed, or disabled.

Answer: A

Question No : 7

What are the two types of EEM policies? (Choose three.)

- A. An applet
- B. bat script
- C. tbc script
- D. .tic script
- E. Shell script

Answer: A,B

Explanation:

http://www.cisco.com/c/en/us/td/docs/ios/12_4t/12_4t2/ht_eem.html#wp1052534

Question No : 8

In a Cisco Catalyst 3000 switch, which QoS feature typically delays excess traffic, smoothing bursts and preventing unnecessary drops?

- A. Shaping
- B. Queuing
- C. WRED

- D. Marking
- E. Classification
- F. Policing

Answer: A

Question No : 9

Which statement is true regarding the configuration of the Cisco UCS Virtual Interface Card P81E?

- A. The Cisco UCS P81EVIC can be configured using the GUI only.
- B. The Cisco UCS P81E VIC can be configured using the CIMC CLI only.
- C. The Cisco UCS P81EVIC can be configured using a KVM connection to the card through the EFI as an alternative to using the CIMC CLI or GUI
- D. The Cisco UCS P81EVIC can be configured using a KVM connection to the card through the EFI only.

Answer: C

Explanation: VIC card can be configured using CIMC GUI, CLI and Option ROM of the VIC card.

Question No : 10

The Cisco UCS C220 M3 Rack Server is a high-density, general purpose, two-socket server optimized to deliver which types of workloads?

- A. IT and web infrastructure
- B. Distributed database clusters and high-performance virtual desktops ;.
- C. Distributed database clusters and middleware
- D. Distributed database clusters, middleware, high-performance virtual desktops, and IT and web infrastructure

Answer: D

Explanation: http://www.cisco.com/c/en/us/products/collateral/servers-unified-computing/ucs-c220-m3-rack-server/data_sheet_c78-700626.html

