

IBM

C1000-091 Exam

IBM Cloud Pak for Automation v19.0.3 Administration

Questions & Answers Demo

Version: 6.0

Question: 1

Which IBM Cloud Pak for Automation component needs post-deployment configuration to allow users to access Kibana dashboards?

- A. IBM Automation Digital Worker
- B. IBM FileNet Content Manager
- C. IBM Business Automation Content Analyzer
- D. IBM Business Automation Insights

Answer: A

<https://www-01.ibm.com/common/ssi/cgi-bin/ssialias?infotype=AN&subtype=CA&htmlfid=897/ENUS219-477&appname=USN>

Question: 2

When installing IBM Business Automation Studio, what is the difference between an App Engine Playback Server compared to an App Engine Server for production usage?

- A. The App Engine Playback Server supports other databases like PostgreSQL or Oracle.
- B. The App Engine Playback Server runs embedded in the BASTudio container.
- C. The App Engine Playback Server does not contain all features.
- D. The App Engine Playback Server does not allow Remote Dictionary Server (Redis).

Answer: B

Question: 3

Which reclaim policy is recommended for enabling manual recovery of data after deletion of a persistent volume claim?

- A. Delete
- B. Active
- C. Retain
- D. Recycle

Answer: C

<https://kubernetes.io/docs/concepts/storage/persistent-volumes/>

Question: 4


Which component must be installed before installing Business Automation Application Engine?

- A. Application Engine Studio
- B. User Management Service
- C. Business Automation Insights
- D. Business Automation Studio

Answer: B


Question: 5

The following information is displayed after running the `oc get pods -n db2` command:



NAME	READY	STATUS	RESTARTS	AGE
test-pod	0/1	Init:ImagePullBackOff	0	2m45s

What is the best way to see the root cause of this error?



- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

Question: 6

Where is the number of replicas defined for IBM Automation Digital Worker, when high availability is required?

- A. In the route definitions of the Digital Worker
- B. In the worker node configuration
- C. In the secret.yaml file for ADW
- D. In the Custom Resource (CR) definition

Answer: D

https://www.ibm.com/support/knowledgecenter/SSYHZ8_20.0.x/com.ibm.dba.managing/op_topics/tsk_adw_prepare_fault_tol.html