

Version: 9.0

Question: 1

What are the four retention settings available in the backup copygroup?

- A. NUMBERVersions, NUMBERDeleted, DAYSExtra, DAYSONly
- B. VERExists, VERDeleted, RETExtra, RETOnly
- C. VERNumber, DELETEDNumber, DAYSRetain, DAYSONly
- D. EXISTVersion, DELETEDVersion, EXTRERetain, ONLYRetain

Answer: B

Explanation:

Reference:

(<http://www.redbooks.ibm.com/redbooks/pdfs/sg248134.pdf>) page 178

Question: 2

Which client function is used to recover archived data?

- A. Retrieve
- B. Restore
- C. Rebuild
- D. Recover

Answer: B

Explanation:

(<http://www.redbooks.ibm.com/redbooks/pdfs/sg248134.pdf>) page 51

Question: 3

If some files on the source server are not replicating to the target server, what should be checked to determine the cause?

- A. review replrule associated with the filespace
- B. review the server replication log
- C. check the replicate node schedule for exclude parameter
- D. review include/exclude list for replicate=no parameters

Answer: A

Question: 4

Which component is vital to an IBM Tivoli Storage Manager Database operations in addition to memory, database containers and active log?

- A. Archive Log Mirror
- B. Recovery Log
- C. Archive Log
- D. Activity Log

Answer: C

Question: 5

Which IBM Tivoli Storage Manager server options allow for more efficient streaming of data to tape devices?

- A. MOVESIZETHRESH 32768
MOVEBATCHSIZE 1000
- B. TXNBYTE 32768
TXNBUFSIZE 1000
- C. MIGRATSIZE 32768
MIGRECLBATCSIZE 1000
- D. SIZETHRESH 32768
BATCHSIZE 1000

Answer: A

Question: 6

Which IBM Tivoli Storage Manager (TSM) Client component can be configured to allow the TSM Administrator to run backups and restores remotely without data owner interaction?

- A. OnDemand Client
- B. Remote Control
- C. Client Acceptor Daemon
- D. Remote Scheduler

Answer: A

Question: 7

Which option is required to install IBM Tivoli Storage Manager (TSM) V7.1.1 administrative command line?

- A. the Custom setup of the TSM server
- B. the Custom setup of the TSM backup-archive client
- C. the Typical setup of the TSM backup-archive client

D. the Typical setup of the TSM server

Answer: D

Question: 8

What is the command sequence for configuring a tape library for IBM Tivoli Storage Manager?

- A. DEFINE LIBRARY > DEFINE PATH > DEFINE DRIVE > DEFINE PATH
- B. DEFINE DRIVE > DEFINE PATH > DEFINE LIBRARY > DEFINE PATH
- C. DEFINE PATH > DEFINE DRIVE > DEFINE PATH > DEFINE LIBRARY
- D. DEFINE PATH > DEFINE LIBRARY > DEFINE PATH > DEFINE DRIVE

Answer: A

Explanation:

Reference:

<http://www-01.ibm.com/support/docview.wss?uid=swg21376419>

Question: 9

Which information does VALIDATE REPLPOLICY display?

- A. displays the differences between the replication policies on a source and target replication server
- B. lists the number of invalid policies on the source server and compares that list with invalid policies on the target server
- C. displays the inactive policy differences between the source and target server
- D. compares the policies between the source server and target server and makes sure they are exactly the same

Answer: A

Explanation:


Reference:

[http://www-](http://www-01.ibm.com/support/knowledgecenter/SSGSG7_7.1.3/srv.reference/r_cmd_replpolicy_validate.html)

[01.ibm.com/support/knowledgecenter/SSGSG7_7.1.3/srv.reference/r_cmd_replpolicy_validate.html](http://www-01.ibm.com/support/knowledgecenter/SSGSG7_7.1.3/srv.reference/r_cmd_replpolicy_validate.html)

Question: 10

From the Overview screen below, which steps would be taken to troubleshoot the error for client ANDRE_MACIAS_RIGGS?



- A. select the 4 ribbon after Alerts to see the detailed errors
- B. highlight the client and click the Back Up to monitor a new backup
- C. hover on the At Risk column for general error and use Diagnosis on the client panel for details
- D. highlight the client and select Quick Look to determine failure details

Answer: D
