

IBM

Exam C9560-517

IBM Workload Automation V9.2 Implementation

Verson: Demo

[Total Questions: 10]

Question No : 1

What must be configured when there is a requirement for more than one IBM WebSphere Application Server to connect?

- A. server.xml
- B. WAS profile
- C. SSL certificates
- D. LTPA token keys

Answer: D

Question No : 2

What is the purpose of the TWSRegistry.dat file?

- A. It is a backup of the localopts andcurrent plan.
- B. It stores the communications attributes for SSL.
- C. It stores the binary representation of the installed IBM Tivoli Workload Scheduler (TWS) instance.
- D. It documents all TWS installed components and fixpacks on the machine.

Answer: D

Question No : 3

Which log should be reviewed if a job running on a fault-tolerant agent (FTA) abends?

- A. joblog
- B. SystemOut.log
- C. TWSMERGE on the FTA
- D. TWSMERGE on the master domainmanager

Answer: A

Question No : 4

What will be the effect of jobs on a workstation if the workstation FENCE is set to GO?

- A. Jobs will not run.
- B. Jobs with a priority of 101 will run
- C. Jobs with a priority of Go will run.
- D. All jobs will get have a priority of GO.

Answer: D

Reference:[http://www-](http://www-01.ibm.com/support/knowledgecenter/SSGSPN_9.2.0/com.ibm.tivoli.itws.doc_9.2/distr/src_ref/awsrcgfence.htm)

[01.ibm.com/support/knowledgecenter/SSGSPN_9.2.0/com.ibm.tivoli.itws.doc_9.2/distr/src_ref/awsrcgfence.htm](http://www-01.ibm.com/support/knowledgecenter/SSGSPN_9.2.0/com.ibm.tivoli.itws.doc_9.2/distr/src_ref/awsrcgfence.htm)

Question No : 5

When creating a new job stream using the Dynamic Workload Console, what are the minimum requirements for a job stream to be selected for launch after FINAL job stream introduces a new Plan?

- A. RunCycle and at least one job
- B. RunCycle and not inDraft mode
- C. At least one job and not in Draft mode
- D. A scheduled time specified and not in Draft mode

Answer: D

Question No : 6

Which conmancommand switches the event processor component?

- A. switchmgr <newmgr>
- B. switchmgr <domain>;<newmgr>
- C. switcheventprocessor <workstation>
- D. switcheventprocessor <domain>;<workstation>

Answer: D

Reference:[http://www-](http://www-01.ibm.com/support/knowledgecenter/SSGSPN_9.1.0/com.ibm.tivoli.itws.doc_9.1/distr/src_ref/awsrcgevntrulemgmntproc.htm)

[01.ibm.com/support/knowledgecenter/SSGSPN_9.1.0/com.ibm.tivoli.itws.doc_9.1/distr/src_ref/awsrcgevntrulemgmntproc.htm](http://www-01.ibm.com/support/knowledgecenter/SSGSPN_9.1.0/com.ibm.tivoli.itws.doc_9.1/distr/src_ref/awsrcgevntrulemgmntproc.htm)

Question No : 7

A customized job type has been created to meet a scheduling requirement. What must be done before jobs can be dynamically scheduled using the new job type?

A. The application needs to be placed in the methods directory and the IBM Workload Automation processes restarted.

B. A customized job type plug-in jar file installed on the system hosting the Dynamic Workload Console.

CA customer needs to install Eclipse on the master domain manager (MDM) and migrate the plug-in to enterprise Java.

C. A job type plug-in jar file needs to be installed on the MDM and the agent running a customized job type.

Answer: A

Question No : 8

What is the effect on the queue size after running the `thevtsize <filename> 15000` command on the master domain manager (MDM)?

A. It sets the maximum queue size to 15,000 bytes.

B. It increases `<filename>` on the local agent by 15,000 bytes.

C. It sets `<filename>` on all agents managed by the MDM to 15,000 bytes.

D. It increases `<filename>` on all agents managed by the MDM by 15,000 bytes.

Answer: A

Question No : 9

Which two processes are specific to the dynamic agent?

A. agent

B. writer

C. mailman

D. batchman

E. JobManager

Answer: D,E

Question No : 10

How are the logging and tracing messages changed for IBM Tivoli Workload Scheduler to identify batchman issues?

- A. Open <TWAhome>/TWS/TWSCCLog.properties and modify the appropriate objects.
- B. Open <TWShome>/TWS/logs/TWSLog.properties and change the levels to DEBUG_MAX.
- C. Select the logging and tracing panel in the Dynamic Workload Console and set the appropriate levels.
- D. Open <WAS_profile_path> /logs/to waserverN and modify the logs.ini file changing the levels to DEBUG MAX.

Answer: C