

Linux Foundation

CKAD Exam

**Linux Foundation Certified Kubernetes Application Developer
Exam**

**Questions & Answers
Demo**

Version: 5.0

Question: 1

Exhibit:



```
Set configuration context:   
[student@node-1] $ | kubectl  
config use-context k8s
```

Context

A web application requires a specific version of redis to be used as a cache.

Task

Create a pod with the following characteristics, and leave it running when complete:


- The pod must run in the web namespace.

The namespace has already been created

- The name of the pod should be cache
- Use the lfcncf/redis image with the 3.2 tag
- Expose port 6379

Solution


Solution:



```
student@node-1:~$ kubectl run cache --image=lfcncf/redis:3.2 --port=6379 -n web  
pod/cache created  
student@node-1:~$ kubectl get pods -n web  
NAME    READY   STATUS             RESTARTS   AGE  
cache   0/1     ContainerCreating   0           6s  
student@node-1:~$ kubectl get pods -n web  
NAME    READY   STATUS    RESTARTS   AGE  
cache   1/1     Running   0           9s  
student@node-1:~$
```

Question: 2

Exhibit:



Context

You are tasked to create a secret and consume the secret in a pod using environment variables as follow:

Task

- Create a secret named another-secret with a key/value pair; key1/value4
- Start an nginx pod named nginx-secret using container image nginx, and add an environment variable exposing the value of the secret key key 1, using COOL_VARIABLE as the name for the environment variable inside the pod

Solution

Solution:

```
student@node-1:~$ kubectl create secret generic some-secret --from-literal=key1=value4  
secret/some-secret created  
student@node-1:~$ kubectl get secret  
NAME                                TYPE                                DATA  AGE  
default-token-4kvr5                 kubernetes.io/service-account-token  3      2d11h  
some-secret                          Opaque                              1      5s  
student@node-1:~$ kubectl run nginx-secret --image=nginx --dry-run=client -o yaml > nginx_secret  
.yaml  
student@node-1:~$ vim nginx_secret.yaml  
|
```

Readme Web Terminal THE LINUX FOUNDATION

```
apiVersion: v1
kind: Pod
metadata:
  creationTimestamp: null
  labels:
    run: nginx-secret
    name: nginx-secret
spec:
  containers:
  - image: nginx
    name: nginx-secret
    resources: {}
    dnsPolicy: ClusterFirst
    restartPolicy: Always
status: {}
```

"nginx_secret.yml" 15L, 253C 1,1 All

Readme Web Terminal THE LINUX FOUNDATION

```
apiVersion: v1
kind: Pod
metadata:
  labels:
    run: nginx-secret
    name: nginx-secret
spec:
  containers:
  - image: nginx
    name: nginx-secret
    env:
    - name: COOL_VARIABLE
      valueFrom:
        secretKeyRef:
          name: some-secret
          key: key1
```

-- INSERT -- 16,20 All

```

student@node-1:~$ kubectl get pods -n web
NAME      READY   STATUS    RESTARTS   AGE
cache     1/1     Running   0           9s
student@node-1:~$ kubectl create secret generic some-secret --from-literal=key1=value4
secret/some-secret created
student@node-1:~$ kubectl get secret
NAME      TYPE      DATA   AGE
default-token-4kvr5   kubernetes.io/service-account-token   3       2d11h
some-secret           Opaque                                 1       5s
student@node-1:~$ kubectl run nginx-secret --image=nginx --dry-run=client -o yaml > nginx_secret
.yml
student@node-1:~$ vim nginx_secret.yml
student@node-1:~$ kubectl create -f nginx_secret.yml
pod/nginx-secret created
student@node-1:~$ kubectl get pods
NAME      READY   STATUS             RESTARTS   AGE
liveness-http  1/1     Running            0           6h38m
nginx-101     1/1     Running            0           6h39m
nginx-secret  0/1     ContainerCreating  0           4s
poller       1/1     Running            0           6h39m
student@node-1:~$ kubectl get pods
NAME      READY   STATUS    RESTARTS   AGE
liveness-http  1/1     Running   0           6h38m
nginx-101     1/1     Running   0           6h39m
nginx-secret  1/1     Running   0           8s
poller       1/1     Running   0           6h39m
student@node-1:~$

```

Question: 3

Exhibit:



Task

You are required to create a pod that requests a certain amount of CPU and memory, so it gets scheduled to-a node that has those resources available.

- Create a pod named nginx-resources in the pod-resources namespace that requests a minimum of 200m CPU and 1Gi memory for its container
- The pod should use the nginx image
- The pod-resources namespace has already been created

Solution

Solution:

```

THE LINUX FOUNDATION
Readme Web Terminal
student@node-1:~$ kubectl run nginx-resources -n pod-resources --image=nginx --dry-run=client -o
yaml > nginx_resources.yaml
student@node-1:~$ vim nginx

```

```

THE LINUX FOUNDATION
Readme Web Terminal
apiVersion: v1
kind: Pod
metadata:
  creationTimestamp: null
  labels:
    run: nginx-resources
  name: nginx-resources
  namespace: pod-resources
spec:
  containers:
  - image: nginx
    name: nginx-resources
    resources: {}
  dnsPolicy: ClusterFirst
  restartPolicy: Always
status: {}

"nginx_resources.yaml" 16L, 289C 1,1 All


```

```

THE LINUX FOUNDATION
Readme Web Terminal
apiVersion: v1
kind: Pod
metadata:
  labels:
    run: nginx-resources
  name: nginx-resources
  namespace: pod-resources
spec:
  containers:
  - image: nginx
    name: nginx-resources
    resources:
      requests:
        cpu: 200m
        memory: "1Gi"

-- INSERT -- 15,22 All

```



The first screenshot shows a terminal session where a user runs several Kubernetes commands: `kubectl run nginx-resources -n pod-resources --image=nginx --dry-run=client -o yaml > nginx_resources.yml`, `vim nginx_resources.yml`, `kubectl create -g nginx_resources.yml` (which fails with an error), and `kubectl create -f nginx_resources.yml` (which succeeds). The second screenshot shows the output of `kubectl get pods -n pod-resources`, displaying a table with columns for NAME, READY, STATUS, RESTARTS, and AGE, showing one pod named 'nginx-resources' in a 'Running' state.

```

student@node-1:~$ kubectl run nginx-resources -n pod-resources --image=nginx --dry-run=client -o
yaml > nginx_resources.yml
student@node-1:~$ vim nginx_resources.yml
student@node-1:~$ kubectl create -g nginx_resources.yml
Error: unknown shorthand flag: 'g' in -g
See 'kubectl create --help' for usage.
student@node-1:~$ kubectl create -f nginx_resources.yml
pod/nginx-resources created
student@node-1:~$ kubectl get pods -n pod-re

student@node-1:~$ kubectl get pods -n pod-resources
NAME          READY   STATUS    RESTARTS   AGE
nginx-resources 1/1     Running   0           8s
student@node-1:~$

```

Question: 4

Exhibit:



The screenshot shows a terminal window with a warning icon in the top right corner. The text reads: 'Set configuration context:'. Below this, a terminal prompt shows the command `kubectl config use-context k8s` being entered.

```

Set configuration context:
[student@node-1] $ | kubectl config
use-context k8s

```

Context

You are tasked to create a ConfigMap and consume the ConfigMap in a pod using a volume mount.

Task

Please complete the following:

- Create a ConfigMap named another-config containing the key/value pair: key4/value3
- start a pod named nginx-configmap containing a single container using the nginx image, and mount the key you just created into the pod under directory /also/a/path

Solution

Solution:


```

student@node-1:~$ kubectl create configmap another-config --from-literal=key4=value3
configmap/another-config created
student@node-1:~$ kubectl get configmap
NAME          DATA      AGE
another-config 1          5s
student@node-1:~$ kubectl run nginx-configmap --image=nginx --dry-run=client -o yaml > nginx_conf
igmap.yml
student@node-1:~$ vim nginx_configmap.yml ^C
student@node-1:~$ mv nginx_configmap.yml nginx_configmap.yml
student@node-1:~$ vim nginx_configmap.yml
student@node-1:~$ █

student@node-1:~$ kubectl run nginx-configmap --image=nginx --dry-run=client -o yaml > nginx_conf
igmap.yml
student@node-1:~$ vim nginx_configmap.yml ^C
student@node-1:~$ mv nginx_configmap.yml nginx_configmap.yml
student@node-1:~$ vim nginx_configmap.yml
student@node-1:~$ kubectl create f nginx_configmap.yml
Error: must specify one of -f and -k

error: unknown command "f nginx_configmap.yml"
See 'kubectl create -h' for help and examples
student@node-1:~$ kubectl create -f nginx_configmap.yml
error: error validating "nginx_configmap.yml": error validating data: ValidationError(Pod.spec.c
ontainers[1]): unknown field "mountPath" in io.k8s.api.core.v1.Container; if you choose to ignor
e these errors, turn validation off with --validate=false
student@node-1:~$ vim nginx_configmap.yml █

```

[Readme](#) [Web Terminal](#)

THE **LINUX** FOUNDATION

```

student@node-1:~$ kubectl create f nginx_configmap.yml
Error: must specify one of -f and -k

error: unknown command "f nginx_configmap.yml"
See 'kubectl create -h' for help and examples
student@node-1:~$ kubectl create -f nginx_configmap.yml
error: error validating "nginx_configmap.yml": error validating data: ValidationError(Pod.spec.c
ontainers[1]): unknown field "mountPath" in io.k8s.api.core.v1.Container; if you choose to ignor
e these errors, turn validation off with --validate=false
student@node-1:~$ vim nginx_configmap.yml
student@node-1:~$ kubectl create -f nginx_configmap.yml
pod/nginx-configmap created
student@node-1:~$ kubectl get pods
NAME          READY   STATUS             RESTARTS   AGE
liveness-http 1/1     Running            0           6h44m
nginx-101     1/1     Running            0           6h45m
nginx-configmap 0/1     ContainerCreating  0           5s
nginx-secret  1/1     Running            0           5m39s
poller        1/1     Running            0           6h44m
student@node-1:~$ kubectl get pods
NAME          READY   STATUS             RESTARTS   AGE
liveness-http 1/1     Running            0           6h44m
nginx-101     1/1     Running            0           6h45m
nginx-configmap 1/1     Running            0           8s
nginx-secret  1/1     Running            0           5m42s
poller        1/1     Running            0           6h45m
student@node-1:~$ █

```