

SAP

Exam C_AUDSEC_731

**SAP Certified Technology Associate - SAP Authorization and
Auditing for SAP NetWeaver 7.31**

Verson: Demo

[Total Questions: 10]

Topic break down

Topic	No. of Questions
Topic 2: Advanced User Administration	2
Topic 4: Basic Role Maintenance	2
Topic 5: Configure Authorization Environment	2
Topic 8: Secure Infrastructure	1
Topic 10: System Audit	1
Topic 12: Users and Authorization Audit	2

Topic 2, Advanced User Administration

Question No : 1 - (Topic 2)

Which of the following can you use to create users in the context of active Central User Administration (CUA)?

- A. Transaction SU01 in the central system
- B. Transaction PFCG in the child system
- C. Transaction PFCG in the central system
- D. Transaction SU01 in the child system

Answer: A

Question No : 2 - (Topic 2)

Which transaction do you use to set distribution parameters for Central User Administration (CUA)?

- A. SCUL
- B. SCUA
- C. SCUM
- D. SCUG

Answer: C

Topic 4, Basic Role Maintenance

Question No : 3 - (Topic 4)

Which of the following is a characteristic of composite roles?

- A. Users assigned to composite roles have their own authorization data.
- B. They can be assigned to other composite roles.
- C. They have their own authorization data.
- D. Users assigned to composite roles are automatically assigned to the elementary roles.

Answer: D

Question No : 4 - (Topic 4)

Why would you add project views of the Implementation Guide (IMG) to an existing role?

Note: There are 2 correct answers to this question.

- A. To display the transactions of the project views in the Session Manager
- B. To duplicate the menu of the project views from another Customizing role
- C. To assign the project views to users
- D. To generate the authorizations for the project views

Answer: C,D

Topic 5, Configure Authorization Environment

Question No : 5 - (Topic 5)

Which transaction is used by the Profile Generator during a system upgrade?

- A. SU24
- B. SU10
- C. SU01
- D. SU25

Answer: D

Question No : 6 - (Topic 5)

You are unable to determine the cause of an authorization failure using transaction Authorization Error Analysis (SU53).

Which transaction allows you to analyze this failure further?

- A. SU01
- B. SU56

- C. ST12
- D. ST01

Answer: D

Topic 8, Secure Infrastructure

Question No : 7 - (Topic 8)

What is the main function of the SAP Web Dispatcher?

- A. To provide message server functions
- B. To act as a load balancer
- C. To act as a firewall
- D. To provide secure network connections

Answer: B

Topic 10, System Audit

Question No : 8 - (Topic 10)

A security manager is asked to gather the average dialog response time over the last 30 minutes.

Which of the following transactions can list this information?

- A. RZ03
- B. RZ10
- C. RZ01
- D. RZ20

Answer: D

Topic 12, Users and Authorization Audit

Question No : 9 - (Topic 12)

You have to generate a segregation-of-duties violation report for the following purchasing transactions: ME51N, ME21N, MIGO, and MIRO.

Which of the following reports lists users that are assigned to all of these transactions?

- A. User with Critical Authorization (S_BCE_68002111)
- B. Roles by User Assignment (S_BCE_680001419)
- C. Change Documents for Users (S_BCE_68002311)
- D. Executable Transactions Report (S_BCE_68001429)

Answer: A

Question No : 10 - (Topic 12)

Transaction CPH1 does not have proper default authorization objects. This requires you to manually add the S_PROGRAM authorization object every time you insert the transaction into a role.

Which transaction do you use to set default authorization objects on transaction CPH1 to avoid the manual step?

- A. SU25
- B. SU24
- C. SU01
- D. SU21

Answer: B