

SAP

C_HANAIMP_17 Exam

Certified Application Associate - SAP HANA 2.0

**Questions & Answers
Demo**

Version: 4.0

Question: 1

You have a cube calculation view that consumes a dimension view. You suspect some dimension columns have been renamed in the cube calculation view. Which function of SAP Web IDE for SAP HANA do you use to check where the output columns originate from?

- A. Show lineage
- B. Database Explorer
- C. Where used
- D. Auto-map byname

Answer: A

Explanation:

Question: 2

When using the CONTAINS predicate, what are the restrictions you must keep in mind? Note: There are 2 correct answers to this question.

- A. Non-physical columns, such as calculated columns, are not search-relevant.
- B. The NOT (-) operator can only be specified directly after the OR operator.
- C. Wild cards * and ? are supported for text columns but not string columns.
- D. If several tables are joined, all columns mentioned in the CONTAINS predicate must come from only one of the tables.

Answer: A, C

Explanation:

Question: 3

What do you use in the definition of a dynamic SQL analytic privilege?

- A. A procedure that returns the data access condition as an SQL expression.
- B. A table function that returns a list of allowed values.
- C. An organization hierarchy that provides role-based access to data.
- D. A scalar function that returns a list of the allowed values for each attribute.

Answer: A

Explanation:

Question: 4

Which of the following are usually no longer required in the architecture of SAPS/4HANA? Note: There are 2 correct answers to this question.

- A. Aggregates
- B. ABAP CDS
- C. Synonyms
- D. Indexes

Answer: A, C

Explanation:

Question: 5

In SAP Web IDE for SAP HANA, what can a flowgraph generate in a predictive analysis scenario? Note: There are 2 correct answers to this question.

- A. Function
- B. Container
- C. Procedure
- D. Task

Answer: C, D

Explanation: