

SAP

Exam C_HANATEC151

SAP Certified Technology Associate - SAP HANA (Edition 2015)

Verson: Demo

[Total Questions: 10]

Question No : 1

Which component of SAP HANA Database is used when you query an SAP HANA information model to populate a pivot table in Microsoft Excel?

- A. The Log Volumes
- B. The Calculation Engine
- C. The Transaction Manager
- D. The SQL Interface

Answer: B

Question No : 2

The SAP LT trigger-based approach uses a log table to record all relevant changes. Where is this log table stored?

- A. In SAP LT
- B. In SAP Solution Manager
- C. In the source system
- D. In SAP HANA

Answer: C

Question No : 3

In which of the following situations is a recovery of an SAP HANA database applicable?

- A. Corruption of kernel binary files
- B. Crash of the SLT server
- C. Reset of the system to a specific point in time
- D. Disk crash of the log area
- E. Disk crash of the data area

Answer: C,D,E

Question No : 4

Which of the following are valid assignment sequences (assigning from the left to the right) of authorizations?

There are 2 correct answers to this question

- A. Role Privilege User
- B. Role User Privilege
- C. Role Role User
- D. Privilege Role User

Answer: C,D

Question No : 5

You create an analytic view and want to restrict access to departments with specific values using analytic privileges. Which tasks do you have to perform to accomplish this?

- A. Choose an attribute and define restricted values for it.
- B. Assign the analytic privilege to a user or role.
- C. Assign values to be restricted to a content table.
- D. Assign values to be restricted. Choose at least one information model to assign restrictions.
- E. Assign restricted values to the attribute view.

Answer: A,B,D

Question No : 6

When is the administration editor in SAP HANA studio opened automatically in diagnosis mode?

- A. When the index server service is restarted
- B. When an SQL connection is not available
- C. When the sapstartsrv service is not running
- D. When the system is restarting

Answer: B,D

Question No : 7

Which of the following can decrease the startup time of an SAP HANA system after a reboot?

- A. Reducing the number of column tables in the database
- B. Reducing the size of the transactional data records
- C. Reducing the number of fields in the master data
- D. Reducing the size of the row-based tables

Answer: D

Question No : 8

In which file do you configure the maximum size of the delta storage memory?

- A. preprocessor.ini
- B. executer.ini
- C. global.ini
- D. indexserver.ini

Answer: D

Question No : 9

Which of the following files should be considered in your SAP HANA backup strategy?

- A. Configuration files
- B. Dump files
- C. Export and import files
- D. Kernel files
- E. Data and log files

Answer: A,D,E

Question No : 10

Which of the following configuration files contains the backup locations of log and data files?

- A. attributes.ini
- B. global.ini
- C. indexserver.ini
- D. localclient.ini

Answer: B