## **SAP**

**C\_TAW12\_750 Exam** 

SAP Certified Development Associate - ABAP with SAP NetWeaver 7.50

Questions & Answers Demo

## Version: 6.0

Question: 1	
At most, how many buttons can the application toolbar have on the	ne screen?
A. 20	
B. None of the above	
C. 35	
D. 10	
E. 30	
	Answer: C
Question: 2	
What is the allowed length of the ABAP Dictionary data type	e DF34_RAW?
A. The allowed length is between 1 and 34 digits.	
B. The allowed length is 34 digits.	
C. The allowed length is between 1 and 31 digits	
D. The allowed length is between 0 and 33 digits.	
	Answer: B
Question: 3	
What are the differences between displaying in a full screer (S. 503){2 Richtig}	n and in a container? Select all that apply
A. Only a full-screen ALV allows the use of event handling	ng.
B. The full screen requires Dynpro programming.	
C. Only an ALV in a container allows the use of event ha	andling
D. Any type of ALV allows the use of event handling.	
E. The only difference is that the container name must b	e specified when creating the ALV object
F. The container requires the use of an additional object	(a container control).
	Answer: D F

Question: 4	
Subclasses inherit all the components of the parent cla	ass.
A. False	
B. True	
	Answer: B
Question: 5	
If you enter the value "0" or blank ("") as the next scree	en, then the system
resumes processing from the point at which the screer attribute is overridden	n was initiated, assuming the Next Screer
dynamically in the program.	
A. True	
B. False	
	Answer: A
Question: 6	
Identify the types of controller. Select all that apply.	
A. Consumer controller	
B. View controller	
C. Window controller	
D. Component controller	
E. Custom controller	
F. Configuration controller	
	Answer: BCDEF

Question: 7

Which modularization units can raise an exception? Select all that apply

- A. Methods
- B. Subroutines (FORM routines)
- C. Function modules

Answer: ABC

## Question: 8

Which of the following is a true statement? Select all that apply

- A. A package can be nested.
- B. All customer repository objects have to be assigned to a package.
- C. Packages use interfaces and visibility to make their elements visible to other packages.
- D. The transport layer is a mandatory input field for the package

Question: 9

When starting the Debugger, what circumstance causes the runtime error DEBUGGING\_NOT\_POSSIBLE?

- A. When the number of debugging sessions on the server exceeds the value '—' defined by the proparameter rdisp/wpdbug\_max\_no
- B. Starting a non-exclusive mode in a productive system
- C. When more than five sessions are already associated with this login user

**Answer: B** 

Question: 10	

Each ABAP program starts with an introductory statement. Which statements are correct? Select all that apply.

- A. The introductory statement must be the first statement in the program.
- B. The introductory statement must be the first line in the program
- C. The introductory statement can be modified.
- D. The introductory statement must never be modified.

**Answer: BC**