

# **Huawei**

## **HC-611 Exam**

**Huawei Certified Network Associate - Building the Structure of  
Storage Network (HCNA-BSSN) – ENU**

**Questions & Answers  
Demo**

# Version: 7.0

---

**Question: 1**

---

S500T after system startup or insert system disk (or management module) 10 minutes to determine the system is fully booted normally, in order to carry out the upgrade.

- A. True
- B. False

---

**Answer: A**

---

---

**Question: 2**

---

Argument about disaster recovery and data backup correct yes:

- A. Disaster recovery is data backup.
- B. Disaster recovery is a method of data backup.
- C. Data backup is the foundation of disaster recovery.
- D. The above statement is not correct.

---

**Answer: C**

---

---

**Question: 3**

---

S550T system is configured with a RAID group, RAID groups may be the reason for the downgrade:  
(Choose three)

- A. RAID disk group members pulled out
- B. RAID disk group members were replaced by other types of hard disk
- C. RAID disk bad sectors group members or other failure causes failure to read and write
- D. RAID group members is set to hot spare disk

---

**Answer: A, B, C**

---

---

**Question: 4**

---

Uninstall software under Linux which of the following commands can be used?

- A. kill
- B. uninstall
- C. unload
- D. rpm-e

---

**Answer: D**

---

---

**Question: 5**

---

When you create a LUN cannot modify the general parameters which can only be modified when creating, created after: (Choose two)

- A. Name of the LUN
- B. Slitting depth of the LUN
- C. LUN ownership Controller
- D. Capacity

---

**Answer: B, D**

---

---

**Question: 6**

---

A full, normal RAID5, including real data and parity data on the disk of its members:

- A. True
- B. False

---

**Answer: A**

---

---

**Question: 7**

---

Storage system configuration process to create LUN then create RAID

- A. True
- B. False

---

**Answer: B**

---

---

**Question: 8**

---

Huawei SAN storage products have replaceable parts: (Choose three)

- A. Hard disk
- B. Controller
- C. Power supply fan
- D. CPU

---

**Answer: A, B, C**

---

---

**Question: 9**

---

RAID1 data redundancy is achieved through what technology?

- A. OX
- B. Hamming code check
- C. P + Q double check
- D. Mirror

---

**Answer: D**

---

---

**Question: 10**

---

Need at least a few hard drives when you create RAID10

- A. 1
- B. 2
- C. 3
- D. 4

---

**Answer: D**

---

---

**Question: 11**

---

In business given the large number of random data access, data security while demanding scene for what raid level to use?

- A. RAID0
- B. RAID1
- C. RAID3
- D. RAID10

---

**Answer: D**

---

---

**Question: 12**

---

RAID0 often called bands, RAID0 allowed to damage a member of the hard drive data is not lost.

- A. True
- B. False

---

**Answer: B**

---

---

**Question: 13**

---

Windows "Disk Management" requires that all dynamic disks and GUID partition table (GPT) are using the NTFS file system on the disk.

- A. True
- B. False

---

**Answer: A**

---

---

**Question: 14**

---

S5600T and S6800T when the system power loss by the built- safe dish BBU to power, to ensure that the data written to the Cache dirty safe dish without losing.

- A. True
- B. False

---

**Answer: B**

---

---

**Question: 15**

---

The only two hard disk storage devices, you can choose to create a RAID levels are () (Choose two)

- A. RAID3
- B. RAID0
- C. RAID1
- D. RAID6

---

**Answer: B, C**

---

---

**Question: 16**

---

Huawei package maintenance tool storage products acquisition mode

- A. Local Service Manager
- B. 400 Response Center
- C. Huawei support website.
- D. Dealer

---

**Answer: C**

---

---

**Question: 17**

---

Application for the license file storage system mail must include the following items which (Choose two)

- A. Contract Number
- B. Control box serial number
- C. Customer Name
- D. LAC code

---

**Answer: B, D**

---

---

**Question: 18**

---

Host port type S2600 series storage arrays provide not include ()

- A. SAS
- B. FC
- C. iSCSI
- D. SATA

---

**Answer: D**

---

---

**Question: 19**

---

S5000T storage array in the configuration export function to export the system configuration file format ()

- A. .DAT
- B. .EXE
- C. .TXT

D. .DOC

---

**Answer: A**

---

---

**Question: 20**

---

According SHARE 78 international organizations, disaster recovery system is divided into the number of class

- A. 5
- B. 6
- C. 7
- D. 8

---

**Answer: C**

---