
Question: 1

A system administrator needs to set up a new IP-UX server by using ignite-UX in a different subnet. What should the system administrator do to accomplish this goal? (Select two)

- A. Set up an RARP agent
- B. Use a DHCP server only on the ignite-UX subnet
- C. Place one DHCP server on each subnet
- D. Set up bootp relay agents
- E. Use a DHCP server only on the HP-UX server subnet

Answer: B,E

Question: 2

What are ways to determine a host's node name from the command line? (Select two)

- A. Hostname
- B. Uname
- C. Grep ^HOSTNAME /etc/rc.config.d/netconf
- D. Host
- E. Xhost

Answer: A,B

Explanation:

Reference:

<http://serverfault.com/questions/367492/how-is-the-fqdn-determined>

Question: 3

In preparation for a maintenance window, a system administrator wants to download and test the latest ONCplus Release. What is the correct way to accomplish this task?

- A. Obtain independent software units from the HP Software Depot
- B. Download it from the HP Support Center in the patch management section
- C. Call the local Support Center to get the depot provided by a personal ftp
- D. Use Software Assistant (SWA) to obtain a customized depot for the test system

Answer: B

Question: 4

Which file contains volume group information for LVM v2?

- A. /etc/tvmtab_y2
- B. /etc/lvmtab_p
- C. /etc/Wmtab_2
- D. /etc/lvmtab

Answer: B

Explanation:

Reference:

http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c01919368

(See the lvmtab, lvmtab_p 2nd Point).

Question: 5

Which command is called during a cold install to set key system parameters after the first reboot?

- A. bootconf
- B. sec_parms //set_parms
- C. lvlnboot
- D. instladm

Answer: B

Explanation:

Reference:

http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c02267382

Question: 6

Which command should a system administrator use to remove an environment variable?

- A. Export,
- B. Unexport
- C. Unset
- D. Set

Answer: C

Explanation:

Reference:

https://books.google.com.pk/books?id=HyKrKzPq8rcC&pg=PA447&lpg=PA447&dq=Which+command+should+a+system+administrator+use+to+remove+an+environment+variable+Unset&source=bl&ots=_Qb2VCPIE3&sig=3uncocpf3c64bAfueEo3j647K8o&hl=en&sa=X&ei=E3W1VNLPGMXwm AX-oG4Ag&ved=0CCIQ6AEwAQ#v=onepage&q=Which%20command%20should%20a%20system%20administrator%20use%20to%20remove%20an%20environment%20variable%20Unset&f=false
(See the Page #447).

