

HP

HPE6-A67 Exam

HP Aruba Certified ClearPass Associate 6.7 Exam

Questions & Answers Demo

Version: 8.0

Question: 1

Your boss suggests that you configure a guest self-registration page in ClearPass for the Conference Events SSID.

Which advantages will this give? (Choose two.)

- A. It will allow guest users to create a login account for the web login page.
- B. It will stop employees from putting their corporate devices on the event network.
- C. It will allow employees to get their own devices securely connected to the network.
- D. It will allow the Conference center to collect extra information about the guest.
- E. It can be pre-located with guest information from the conference registration.

Answer: A,E

Question: 2

Which statements describe subnet scans for static IP device discovery? (Choose two.)

- A. To run an On-Demand Subnet Scan, you must first configure a subnet scan in the profile settings.
- B. The On-Demand option provides the ability to trigger a one-time scan in specified network subnets.
- C. The On-Demand option provides the ability to scan and profile devices only with static IP.
- D. Only SNMP can be used for subnet scans for subnets configured for DHCP.
- E. Subnet scans can be scheduled to execute a scan every 24 hrs for configured subnets.

Answer: B,C

Question: 3

Select three elements that are part of the authorization process. (Choose three.)

- A. Send a RADIUS accept to the Access device.
- B. Verify client credentials against your account.
- C. Determine posture status.
- D. Validate the user account attributes.
- E. Filter by endpoint device type.

Answer: A,B,D

Question: 4

What is the function of the primary and backup servers when configuring an authentication source in ClearPass?

- A. The primary server and backup servers can be configured for round-robin.
- B. The primary server can be from one Active Directory domain; the backup server can be from another.
- C. The primary server is always authenticated first, then the backup is used if authentication fails.
- D. The primary server is always authenticated first, then the backup is used if that times out.

Answer: D

Reference:

<https://community.arubanetworks.com/t5/Security/CP-PM-amp-AD-Questions-Re-Auth/td-p/74888>

Question: 5

Refer to the exhibit.

The screenshot shows a configuration page for a service named 'Test_Service'. The 'Service' section includes:

- Type: Aruba 802.1X Wireless
- Name: Test_Service
- Description: Aruba 802.1X Wireless Access Service
- Monitor Mode: Enable to monitor network access without enforcement
- More Options: Authorization Posture Compliance Audit End-hosts Profile Endpoints Accounting Proxy

The 'Service Rule' section is set to 'ALL of the following conditions':

	Type	Name	Operator	Value
1.	Radius: IETF	NAS-Port-Type	EQUALS	Wireless-802.11 (10)
2.	Radius: IETF	Service-Type	BELONGS_TO	Login-User(1), Framed
3.	Radius: Aruba	Aruba-[ssid]-Name	EXISTS	
4.	Radius: Aruba	Aruba-[ssid]-Name	EQUALS	CORP
5.	Click to add...			

Which user authentication request will match the service rules of the Policy Service shown?

- A. a wireless user connecting to an Aruba IAP on the SSID "CORP"
- B. a wireless user connection would fail because of miss-configured service rules.
- C. a wireless user connecting to any SSID on an Aruba Controller
- D. a wireless user connected to any SSID named "CORP"

Answer: A
