

# **Liferay**

## **Exam LRP-614**

### **Portal Developer**

**Verson: Demo**

**[ Total Questions: 10 ]**

**Question No : 1**

In portal.properties, the following property lists portlets that can be embedded on any page:

```
portlet.add(default.resource.check.whitelist=3,56_INSTANCE_0000,5S,S2,S6,87,88/103,13,145,164,
```

The property is listed in liferay-hook\_6\_l\_0.dtd as a property that can be overridden with a hook.

The recommended way to prevent embedding the Search portlet ("3") is to create a hook plugin.

- A. True
- B. False

**Answer: B**

**Question No : 2**

Portlets that extend MVCPortlet require annotations on action methods.

- A. True
- B. False

**Answer: B**

**Question No : 3**

The descriptor liferay-portlet.xml:

- A. Defines Liferay-specific portlet features
- B. Defines the categories of the Add Application menu
- C. Identifies portlets that only run on Liferay
- D. All of the above

**Answer: A**

**Question No : 4**

A JSR-286 standard portlet extends:

- A. LiferayPortlet
- B. MVCPortlet
- C. GenericPortlet
- D. StrutsPortlet
- E. Any Java class

**Answer: C**

**Question No : 5**

To ensure that all portlets added to the right-hand column of this layout template have a blue background:

```
<div class="my_2_column" id="main-content" role="main">
<div class= portlet-layout >
<div class="aui-w50 portlet-column portlet-column-first" id="left-hand">
$processor.processColumn("column-1\ portlet-column-content portlet-column-content-first")
</div>
<div class="aui-w50 portlet-column portlet-column-last" id = "right-hand">
$processor.processColumn("column-2\ "portlet-column-content portlet-column-content-
last")
</div>
</div>
</div>
</div>
```

- A. Add the following CSS to the theme:  
#main-content .right-hand .portlet { background:blue; }
- B. Add the following CSS to the theme:

```
#right-hand .portlet { background:blue; }
```

C. Provide a custom JSP hook that overwrites the default style for ".column-2"

D. Add the following CSS to the theme:

```
#right-hand {portlet-background:blue;}
```

**Answer: B**

**Question No : 6**

The method to retrieve a list of users added directly to an organization is:

A. OrganizationLocalServiceUtil.getOrganizationUsers()

B. UserLocalServiceUtil.getOrganizationUsers()

C. GroupLocalServiceUtil.getOrganizationUsers()

D. All of the above

**Answer: B**

**Question No : 7**

AlloyUI is:

A. A JavaScript library

B. A CSS framework

C. A tag library

D. All of the above

**Answer: D**

**Question No : 8**

The recommended way to add a custom class to Liferay's startup process is to:

A. Create a portal-ext.properties file in the Liferay Home directory that adds the custom class to global.startup.events, and add the custom class to the deployed Liferay application

B. Create an Ext plugin that replaces the value of global.startup.events with the custom class, and add the custom class to the plugin

- C. Create a portal-ext.properties file in the Liferay Home directory that replaces the value of global.startup.events with the custom class, and add the custom class to portal-impl.jar
- D. Create an Ext plugin that adds the custom class to global.startup.events, and add the custom class to the plugin

**Answer: D**

**Question No : 9**

The location of the XML file that determines permissions for a portlet plugin is configured by:

- A. The VM argument "resource-actions-configs"
- B. The portlet property "resource.actions.configs"
- C. The init parameter "resource-actions-configs"
- D. A portal property "plugin.resource.actions.configs"

**Answer: B**

**Question No : 10**

The recommended way to implement a service wrapper hook that customizes the authenticateByScreenName() method of the User service using a class called com.sample.MyUserLocalServiceImpl is to:(Please select all correct answers.)

- A. Add the following to liferay-hook.xml:  

```
<service>  
<service-type>com.liferay.portal.service.UserLocalService</service-type>  
<service-impl>com.sample.MyUserLocalServiceImpl</service-impl>  
</service>
```
- B. Copy all of the methods from UserLocalServiceImpl to MyUserLocalServiceImpl
- C. Override the authenticateByScreenName() method in MyUserLocalServiceImpl
- D. Add the following to liferay-plugin-package.properties:required -deployment-contexts=UserLocalService
- E. Implement custom logic and call super.authenticateByScreenName() if applicable

**Answer: A,C,E**