

Fortinet

Exam NSE5_FMG-5.4

FortiManager 5.4 Specialist

Version: 7.0

[Total Questions: 35]

Question No : 30

View the following exhibit:



Which of the following statements are true if both FortiManager and FortiGate are behind the NAT devices? (Choose two.)

- A. FortiGate can announce itself to FortiManager only if the FortiManager IP address is configured on FortiGate under central management.
- B. If the FGFM tunnel is torn down, FortiManager will try to re-establish the FGFM tunnel.
- C. FortiGate is discovered by FortiManager through the FortiGate NATed IP address.
- D. During discovery, the FortiManager NATed IP address is not set by default on FortiGate.

Answer: B,C

Question No : 31

View the following exhibit:

```
Start to import config from device(Local-FortiGate) vdom(root) to
adom(My_ADOM), package(Local-FortiGate_root)
```

```
"firewall service category",SKIPPED,"(name=General, oid=697, DUPLICATE)"
```

```
"firewall address",SUCCESS,"(name=LOCAL_SUBNET, oid=684, new object)"
```

```
"firewall service custom",SUCCESS,"(name=ALL, oid=863, update previous
object)"
```

```
"firewall policy",SUCCESS,"(name=1, oid = 1090, new object)"
```

Which one of the following statements is true regarding the object named ALL?

- A. FortiManager updated the object ALL using FortiManager's value in its database.

- B. FortiManager updated the object ALL using FortiGate's value in its database.
- C. FortiManager created the object ALL as a unique entity in its database, which can be only used by this managed FortiGate.
- D. FortiManager installed the object ALL with the updated value.

Answer: C

Question No : 32

In addition to the default ADOMs, an administrator has created a new ADOM named Training for FortiGate devices. The administrator sent a device registration request to FortiManager from a remote FortiGate. Which one of the following statements is true?

- A. The FortiGate will be automatically added to the Training ADOM.
- B. By default, the unregistered FortiGate will appear in the root ADOM.
- C. The FortiManager administrator must add the unregistered device manually to the Training ADOM using the Add Device wizard.
- D. The FortiGate will be added automatically to the default ADOM named FortiGate.

Answer: B

Question No : 33

View the following exhibit:

```
FortiManager# diagnose dvm device list
There are currently 1 devices/vdoms managed:
TYPE  OID  SN      HA  IP      Name          ADOM      IPS  FIRMWARE
fmg/   176  FGVM01  -   10.200.1.1  Local-FortiGate MY_ADOM   8.0.. 5.0 MR4 (1011)
faz enabled
      (regular)
| - STATUS: db: modified; conf: in sync; cond: pending; dm: retrieved; conn: up
| - vdom: [3]root flags: 0 adom:My_ADOM pkg: [imported]Local-FortiGate_root
```

What of the following statements are true regarding the output? (Choose two.)

- A. Configuration changes have been installed to FortiGate and represents FortiGate configuration has been changed.
- B. The latest revision history for the managed FortiGate does match with the FortiGate running configuration.

- C. The latest revision history for the managed FortiGate does not match with the device-level database.
- D. Configuration changes directly made on the FortiGate have been automatically updated to device-level database.

Answer: A,D

Question No : 34

An administrator wants to delete an address object that is currently referenced in a firewall policy. Which one of the following statements is true?

- A. FortiManager will replace the deleted address object with the all address object in the referenced firewall policy.
- B. FortiManager will disable the status of the referenced firewall policy.
- C. FortiManager will not allow the administrator to delete a referenced address object.
- D. FortiManager will replace the deleted address object with the none address object in the referenced firewall policy.

Answer: C

Question No : 35

An administrator ran the reload failure command; diagnose test deploymanager reload config <deviceid> on FortiManager. What does this command do?

- A. It compares and provides differences in configuration on FortiManager with the current running configuration of the specified FortiGate.
- B. It installs the provisioning template configuration on the specified FortiGate.
- C. It downloads the latest configuration from the specified FortiGate and performs a reload operation on the device database.
- D. It installs the latest configuration on the specified FortiGate and updates the revision history database.

Answer: C

Explanation:

diagnose test deploymanager reloadconf : Reload configuration from the FortiGate