

Veeam

Exam VMCE_V9

Veeam Certified Engineer (VMCE 9.5) Certification v9.5

Version: Demo

[Total Questions: 10]

Question No : 1

A Backup Administrator configures a backup copy job containing several VMs each of which are backed up by different daily jobs. How many backup files will be created as the result of the initial successful run of the backup copy job? (Choose two.)

- A. One backup file per one VM
- B. One backup file
- C. One backup file per each VM multiplied by the number of existing restore points for the daily backup jobs
- D. It is impossible to create a backup copy job for this setup
- E. One backup file per each existing restore point of the daily backup jobs

Answer: A,C

Question No : 2

Which Dell EMC SAN storage systems are compatible with the Backup from Storage Snapshots feature in Veeam Backup & Replication? (Choose two.)

- A. Dell EMC ISILON
- B. Dell EMC Data Domain
- C. Dell EMC VNX, VNXe and VNX2
- D. Dell EMC Unity

Answer: C,D

Explanation:

Reference <https://www.veeam.com/backup-from-storage-snapshots.html>

Question No : 3

When might a Veeam Backup Administrator choose to use Veeam Management Pack instead of Veeam ONE for monitoring and reporting?

- A. If LabTech is installed in the infrastructure
- B. If Microsoft System Center Operation Manager is installed in the Infrastructure

- C. If the infrastructure contains Microsoft Hyper-V hosts
- D. If more than 6 sockets need to be protected

Answer: C

Question No : 4

Which of the following is the function of the guest integration proxy component?

- A. Deploys a Veeam persistent agent on every Windows VM to be processed
- B. Mounts the VM file system for browsing purposes when performing a restore to remote site
- C. Deploys a temporary runtime coordination process on every Windows VM to be processed
- D. Processes VM data, taking the load off the Veeam backup server

Answer: C

Explanation:

https://helpcenter.veeam.com/backup/vsphere/guest_interaction_proxy.html

Question No : 5

After a successful replica failover, you decide that you want to switch back to the original VM and permanently transfer the changes that occurred in the replica VM while it was in the Failover State. Which course of action should you choose?

- A. Change the initial Replication job to reverse the replication
- B. "Undo Failover"
- C. "Failback" + "Commit Failback"
- D. "Permanent Failover"

Answer: B

Explanation: References:

Question No : 6

Which can be used if the user key for an encrypted backup is forgotten or lost?

- A. Veeam ONE
- B. The user must request a metakey from support.
- C. There is no way to restore the data in this case.
- D. Veeam Backup Enterprise Manager

Answer: D

Question No : 7

Which of the following refers to the situation when the retention is breached on a forever forward incremental backup?

- A. A new .vib file is created, no transform operation is involved.
- B. A transform operation re-builds the oldest full backup file in the chain to include changes of the incremental backup following the full backup.
- C. Veeam Backup & Replication immediately deletes the earliest increment, no transform operation is involved.
- D. Veeam Backup & Replication deletes the oldest full backup file with the following chain of increments.

Answer: B

Question No : 8

After you selected Incremental mode in the job settings, how do you ensure the forever forward incremental backup mode is configured?

- A. Check the "Use Forever Forward Incremental" box
- B. Enable synthetic full backups and/or active full backups
- C. Disable synthetic full backups and active full backups
- D. Enable "Transform previous backup chains into rollbacks" box

Answer: C

Explanation:

Do not enable synthetic full backups and/or active full backups. If you enable synthetic and/or active full backups, Veeam Backup & Replication will produce a forward incremental backup chain.

References:

Question No : 9

Which requirements must be met in order to perform transaction log backups for a database on a Microsoft SQL Server with Veeam Backup & Replication? (Choose the 2 appropriate options)

- A. The recovery model for the database must be set to Simple.
- B. The recovery model for the database must be set to Full or Bulk-Logged.
- C. No other backup tool truncates the SQL server's log files.
- D. The database must have its log files on a separate VMDK.

Answer: B,C

Question No : 10

During the SureBackup job execution, redo logs are created for each verified VM. Where are the redo logs for the job located?

- A. In a special folder of the Backup & Replication server
- B. In the backup file itself
- C. On the datastore specified in SureBackup job settings
- D. On the backup repository
- E. On the datastore specified in Virtual Lab settings

Answer: D